



Hydrocable Stock List as at #Name?



<u>Part No</u>	<u>Description</u>	<u>OD (mm)</u>	<u>Colour</u>	<u>Quantity (Mtrs)</u>
CS 000002	4 x 6.0, PU	16.0	Blue	Aprox 30
CS 000002	4 x 6.0, PU	16.0	Blue	18,
CS 000023	14 x 1.5 , PU	18.5	Blue	29,
CS 000039	2 x 0.5, PU	7.0	Green	45,55,
CS 000058	1 T.S.P. X 2.5, PU	11.0	Blue	31,
CS 000076	1 Coax (RG 59), PU	7.6	Blue	250,76
CS 000078	1 x 16.0, PU	12.7	Black	205
CS 000078	1 x 16.0, PU	12.7	Green+Blue	63,
CS 000098	6 x 1.0, 4 T.S.Q.s x 0.5, 3 Coax (75 ohm), PU	22.0	Blue	35
CS 000101 iss 3	1 x Coax (RG59 Type), PU	8.5	Black	420,
CS 000105 iss 1	1 T.S.P. x 0.5, PU	7.5	Blue	25
CS 000163	3 x 1.0, PU	8.5	Blue	26,31,
CS 000262	4 x 2.5, EPR inner, PU outer	20.0	Black	78, 100
CS 000302	3 T.P.s x 0.22, 2 x 0.5, Kevlar cord (720 kg), O/A screen, PU	10.0	Yellow	43,31,
CS 000341	4 x 0.5, T.C.W.B. (95%), PU	9.0	Black	30,
CS 000342	1 T.S.P. x 1.0, PU	11.8	Black	282,58,42,36
CS 000344	3 x 1.0, 2 T.S.P.s x 0.5, PU	14.5	Black	14,
CS 000348	4 COAX (75 OHM), 1 T.S.P. x 0.75, 18 CORES x 1.0, P/U	21.5	Blue	14
CS 000351	6 x 1.0, 2 T.S.P. x 0.5, PU	16.2	Blue	38
CS 000382	1 T.S.P. x 1.34, 1 T.S.P. x 0.5, 1 T.P. x 0.22, 1 COAX (75 OHM), 1 CORE x 1.34, W/B COMPOUND, O/A SCREEN x 0.22.	11.0	Blue	170, 27,
CS 000402	37 x 0.5, 9 T.S.P.'S x 0.5, PU	25.8	Black	13,

CUSTOMERS, PLEASE NOTE: PRICE EXCLUDES DRUM, DELIVERY, VAT AND CERTIFICATE OF CONFORMITY

<u>Part No</u>	<u>Description</u>	<u>OD (mm)</u>	<u>Colour</u>	<u>Quantity (Mtrs)</u>
CS 000405	2 x Belden Cables 9452, 1 T.B.J.P. x 0.22, PU	11.0	Black	27,22,28,
CS 000431	1 Coax (RG 62), G.S.W.B., Kevlar Braid, PU	14.5	Black	100(aprox.)
CS 000433	2 x 2.5, 2 T.P.s x 0.22, PVC inner, PU outer	10.9	Blue	138
CS 000442	3 T.B.P.s x 0.34, 2 x 1.0, G.S.W.B., PU inner, PU outer	14.0	Orange	100(aprox.)
CS 000454	1 x 2.08, PE	6.0	Clear	249, 1009
CS 000467	1 T.S.P. x 1.34, 1 Coax (75 ohm), 1 T.P. x 0.22, 1 T.S.P. x 0.5, 1 x 1.34, Waterblock, O/A Screen, PU inner, St.St.W.B, PU outer	14.8	Blue	24,
CS 000470	1 x 4.0, PVC	8.0	Natural	1953
CS 000476	1 x 16.0, PU	13.2	Blue	12,
CS 000491	10 T.S.P.s x 0.5, 6 x 0.75, Kevlar cord (530 kg), PU	21.5	Blue	86
CS 000500	2 T.S.P.s x 2.5, G.S.W.B., PU inner, PU outer	24.5	Orange	100, 100, 50(aprox.) 200,
CS 000508	3 x 42.5, EPR inner, ST.ST.W.B, PU outer	41.5	Red	106,110,70
CS 000521	3 x 1.0, XLPE inner, G.S.W.A, XLPE outer	13.2	Black	40
CS 000532	5 T.S.P.s x 1.5, O/A Screen, EPR inner, PU outer	22.6	Black	20(aprox.)
CS 000533	3 T.Q.s x 0.5, O/A Screen, PU	15.4	Black	50(aprox.)
CS 000541	18 x 0.75, 9 x 0.22, 2 T.B.P.s x 0.34, 1 T.B.Q. (2 x 0.34, 2 x 0.22), Waterblock, Kevlar braid (2000 kg), PU	18.4	Yellow	137,18,
CS 000561	1 T.P. x 2.5, PU	10.6	Blue	43, 57,60,41
CS 000587	2 T.S.P.'S x 1.0 + 1 T.S.P. x 0.5 + 1 T.P. x 1.34, +1 x 1.0 + 1 COAX (75 OHMS) + WATERBLOCK	15.0		68,
CS 000588	12 x 2.5 , PU	20.0	Orange	24, 44,
CS 000595	1 T.S.P.x 1.5, G.S.W.B., PU inner, PU outer	18.2	Orange	30,

CUSTOMERS, PLEASE NOTE: PRICE EXCLUDES DRUM, DELIVERY, VAT AND CERTIFICATE OF CONFORMITY

<u>Part No</u>	<u>Description</u>	<u>OD (mm)</u>	<u>Colour</u>	<u>Quantity (Mtrs)</u>
CS 000597	12 x 1.5, G.S.W.B., O/A Screen, PU inner, PU outer	21.2	Blue	50
CS 000602	1 T.S.P. x 1.5, G.S.W.B., W/B, PU inner, PU outer	16.5	Black	10,20,25,25,
CS 000627	1 Coax x (75 ohm), 14 x 0.22, PU	11.1	Blue	60
CS 000647	1 T.S.P. x 0.34, 3 x 0.5, 5 x Kevlar Cords (B.S. 75 KG), T.C.W.B., P/U	13.5	Blue	20,48,40,40,40,57,57,49,16,
CS 000665	4 x 0.5, PU	11.7	Black	25,
CS 000671	1 T.S.P. x 2.5, G.S.W.A. (4000 kg), PU inner, PU outer	15.4	Blue	254
CS 000672	1 Coax (50 ohm), TP519 outer	8.0	Black	125
CS 000674	3 x 1.0, 1 Fibre optic (50/125), Kevlar cord (180 kg), PU	8.4	Blue	117
CS 000674	3 x 1.0, 1 Fibre optic (50/125), Kevlar cord (180 kg), PU	8.4	Black	26.65,
CS 000685	3 T.S.P.s x 2.5, PE	32.6	Blue	100
CS 000692	1 T.S.P. x 1.0, PU	9.5	Orange	117,
CS 000692	1 T.S.P. x 1.0, PU	9.5	Orange	53,
CS 000704	11 T.S.P.s x 1.34, kevlar braid (3000 kg), PU inner, PU outer	27.5	Blue	38,
CS 000708	15 x 0.75, 4 T.S.P.s x 0.5, 3 T.S.P.s x 0.22, 2 Coax (75 ohm), O/A Screen, Kevlar Braid (750 Kg), PU Inner, PU Outer	22.5	Yellow	40
CS 000732	1 T.S.P. x 2.5, W/B, G.S.W.B., PU inner, PU outer	16.5	Bla+Blu	28,40,
CS 000737	5 Screened cores x 1.0, 3 T.S.Q.s x 0.5, 3 Coax (75 ohm), Kevlar braid (3500 kg), TPR inner, TPR outer	38.0	Yellow	31
CS 000741	10 T.S.P.s x 0.5, 8 Coax (75 ohm), G.S.W.B, O/A Screen, PU inner, PU outer	24.5	Blue	22,
CS 000745	5 T.S.P.'S x 1.5, Kevlar Braid, O/A Screen, PU	26.0	Blue	150

CUSTOMERS, PLEASE NOTE: PRICE EXCLUDES DRUM, DELIVERY, VAT AND CERTIFICATE OF CONFORMITY

<u>Part No</u>	<u>Description</u>	<u>OD (mm)</u>	<u>Colour</u>	<u>Quantity (Mtrs)</u>
CS 000750	4 x 2.5, G.S.W.B., Waterblock, PU inner, PU outer	20.4	Yellow	2x 8 Mtr
CS 000752	4 x 1.5, PU	14.3	Blue	25,
CS 000754	20 x 2.5, PU	25.5	Blue	105, 48,
CS 000755	2 T.S.P.s x 1.5, W/B, G.S.W.B., PU inner, PU outer	28.7	Orange	Drum in HBE yard no ticket
CS 000765	4 T.Q.s x 0.34, 10 T.P.s x 0.34, T.C.W.B. (75%), O/A Screen, PU inner, PU outer	22.3	Blue	50
CS 000783	3 x 25.0, One Core x 10.0, G.S.W.B	30.4	Blue	30, See SB
CS 000801	2 T.S.P.s x 1.0, 2 x 10.0, 1 Coax (75 ohm), 2 Fibre optics (62.5/125), T.C.W.B., PU	24.3	No Sheath	60
CS 000801	2 T.S.P.s x 1.0, 2 x 10.0, 1 Coax (75 ohm), 2 Fibre optics (62.5/125), T.C.W.B., PU	24.3	Blue	809
CS 000815	1 x 42.5 (EPR)	15.2	White	65,60,200,
CS 000820	3 x 1.5, Overall Screen, G.S.W.B., PU	17.1	Blue	236,
CS 000824	3 T.S.P.s x 1.5, G.S.W.B., W/B, PU inner, PU outer	28.3	Red	27,
CS 000825	6 T.S.P.s x 1.5, G.S.W.B., W/B, PU inner, PU outer	35.3	Blue	,29,53,76,26,
CS 000831	3 T.S.P.s x 0.14, 1 T.P. x 0.14, 1 T.T. x 0.14, O/A Screen, PU	7.7	Blue	33,
CS 000837	32 T.P. x 0.75, G.S.W.B., W/B, PU inner, PU outer	35.8	Blue	30
CS 000843	4 Fibre Optics (62.5/125), ST.ST.W.B., PU	12.0	Braided/Unsh eathed	768
CS 000851	3 x T.S.P.s x 0.5, 2 x 1.5, PU	14.1	Blue	16
CS 000852	7 x 0.75, T.C.W.B., PU	11.1	Black	24,
CS 000853	1 T.S.P. x 10.0, G.S.W.B., PU inner, PU outer	19.2	Orange	100, 36, 17,
CS 000857	3 T.S.P.s x 0.5, 16 x 0.5, PU	18.9	Blue	50
CS 000859	8 T.S.P.'s x 0.5, O/A Screen x 0.5, P/U	16.5		

CUSTOMERS, PLEASE NOTE: PRICE EXCLUDES DRUM, DELIVERY, VAT AND CERTIFICATE OF CONFORMITY

<u>Part No</u>	<u>Description</u>	<u>OD (mm)</u>	<u>Colour</u>	<u>Quantity (Mtrs)</u>
CS 000861	3 x 1.0, EPR	11.5	Black	993, 136, 298, 96
CS 000867	5 T.S.P.s 1.5, 1 T.S.P. 2.5, G.S.W.B., W/B, PU inner, PU outer	35.3	Blue	32,19,32,
CS 000876	7 T.S.J.P.s x 1.5, 7 x 0.5, 1 Coax (50 ohm), O/A Screen, PU	27.9	Blue	50(aprox.)
CS 000879	1 T.S.Q. x 0.34, Kevlar Braid (2000 kg), PU inner, PU outer	20.4	Blue	50(aprox.)
CS 000884	2 Belden Cables Part No. 9452, 1 RS Cable Pt No. 361- 557, 3 x 0.22, TPR	12.0	Black	87.87.87,
CS 000895	4 T.S.P.'S x 0.34, O/A SCREEN x 0.34, P/U	10.2	Black	20
CS 000908	1 T.S.P. x 1.34, 1 T.P. x 0.22, 1 COAX (75 OHM) + 1 x 1.34, + 1 T.S.P. x 0.5, + Waterblock + O/A Screen + Kevlar Braid (B.S. 1000 KG)	13.2	Black	16,
CS 000910	1 T.S.P. x 1.5, G.S.W.B., W/B, PU inner, PU outer	18.2	Orange	19
CS 000911	1 T.S.Q. x 1.5, G.S.W.B., W/B, PU inner, PU outer	18.2	Orange	12, 265,
CS 000915	14 bundles of 5 T.S.P.'s x 0.5, 2 Coaxials (50 ohm), P/U	44.0		
CS 000924	27 T.P.s x 0.5, O/A Screen, G.S.W.B., PU inner, PU outer	34.0	Blue	17,
CS 000925	1 T.S.P. x 2.5, G.S.W.B., PU inner, PU outer	17.8	Red	12,30,
CS 000933	1 x 25.0, PH.B.W.B., PU inner, PU outer	21.7	Black	12,
CS 000935	4 T.S.P.s x 1.5, G.S.W.B., O/A Screen, W/B, PU inner, PU outer	32.7	Blue	23
CS 000936	2 T.S.P.s x 1.0, 1 T.Q. x 2.5, 1 x Coax (75 ohm), G.S.W.B., Polyurethane bedding sheath, Polyurethane sheath.	25.6	Grey	32
CS 000938	3 x 70.0, PU (Flat cable)	54.6	Blue	10,10
CS 000939	1 T.S.P. x 1.5 sq mm, O/A Screen, G.S.W.B., PU	43.0	Black	18
CS 000943	3 x 2.5, PU	11.7	Yellow	19,

CUSTOMERS, PLEASE NOTE: PRICE EXCLUDES DRUM, DELIVERY, VAT AND CERTIFICATE OF CONFORMITY

<u>Part No</u>	<u>Description</u>	<u>OD (mm)</u>	<u>Colour</u>	<u>Quantity (Mtrs)</u>
CS 000952	3 T.S.P.s x 0.34, T.C.W.B., PU	11.7	Blue	35,
CS 000967	5 T.S.P.s x 1.5, PU	20.6	Orange	18,
CS 000970	1 x 35.0, PU	13.9	Blue	18
CS 000971	5 x 0.22, 3 x 0.5, 1 T.S.P. x 0.22, 1 T.P. x 0.22, 1 Screened Core x 0.5 + O/A Screens, PU	11.5	Blue	18,
CS 000972	3 T.S.P.s x 1.5, G.S.W.B., PU	28.0	Blue	90
CS 000974	1 T.S.P. x 0.5, 16 T.Q.s x 0.5, PU	28.6	Blue	19
CS 000976	5 x 0.22, Kevlar cord (75 kg), O/A Screen, PU	5.5	Black	60,
CS 000977	4 x 1.5, EPR inner, PU inner, PU outer	22.4	Green	239
CS 000979	2 T.S.P.s x 0.5, G.S.W.B, PU inner, PU outer	14.1	Grey	50,
CS 000980	4 x 0.5 + Overall Screen	9.5	Grey	224, See SB
CS 000985	1 T.S.P. x 0.22, 8 CORES x 0.75, KEVLAR BRAID (B.S. 375 KG), P/U	11.5	Black	35
CS 000997	10 T.S.P.s x 0.5, 2 T.S.P.s x 1.0, G.S.W.B., PU inner, PU outer	26.4	Blue	18
CS 001005	3 T.S.J.Q. x 1.5, Kevlar braid (1 tonne), G.S.W.B., PU inner, PU outer	29.3	Yellow	40, 62, 68, 39, 132, 164, 142
CS 001006	24 x 0.5, Kevlar cord (1000 kg), PU	15.0	Blue	35,
CS 001009	2 x 2.5, 2 x 1.0, 1 T.S.P. 0.14, kevlar braid (4900 KN), W/B, PU	11.5	Black	115,36,43,18,25,40,35,
CS 001009 Issue 1	2 x 2.5, 2 x 1.0, 1 T.S.P. 0.14, kevlar braid (4900 KN), W/B, PU	12.5	Unsheathed	5 x 1000,
CS 001012	17 x 0.5, 2 T.S.P.'S x 0.22, 2 T.S.Q.'S x 0.22, KEVLAR BRAID (B.S. 8.5 KN), WB, PU	17.3	Yellow	444,
CS 001015	2 T.S.P.s x 1.34, Kevlar braid (800 kg), W/B, PU inner, PU outer	16.0	Blue	25,
CS 001017	90 T.P.s x 0.14, T.C.W.B., PU	31.4	Blue	30,
CS 001026	3 x 16.0, PU	30.3	Blue	23,32,24,
CS 001027	3 T.S.J.Q.s x 1.5, Kevlar braid (1	30.2	Yellow	322. 322. 50,

CUSTOMERS, PLEASE NOTE: PRICE EXCLUDES DRUM, DELIVERY, VAT AND CERTIFICATE OF CONFORMITY

<u>Part No</u>	<u>Description</u>	<u>OD (mm)</u>	<u>Colour</u>	<u>Quantity (Mtrs)</u>
	tonne), G.S.W.B., EPR inner, PU inner, PU outer			
CS 001028	12 x 1.0, Kevlar braid (1 tonne), G.S.W.B., O/A Screen, MDPE inner, PU inner, PU outer	21.7	Black	30
CS 001029	40 T.P.s x 1.5, Kevlar cord (720 kg), G.S.W.B., O/A Screen, EPR inner, PU outer	53.0	Blue	9,9,
CS 001032	22 x 0.75, 6 T.S.J.P.s (alpha cable 9823, 8.9 mm dia.), O/A Screen, + PU	31.9	Blue	30
CS 001036	8 T.S.P.s x 0.34, PU	16.7	Blue	20,
CS 001037	32 x 1.0, Kevlar cord (530 kg), PU	21.6	Blue	47,14
CS 001039	4 x 6.0, 4 x 2.5, 2 x 0.5, 2 T.B.P.'s x 0.22, 1 T.P. X 0.5, 4 COAX (RG 316, 50 OHM), T.C.W.B	26.9	Black	13,19
CS 001041	1 T.S.P. x 4.0, G.S.W.B., PU inner, PU outer	14.5	Grey	18,10,
CS 001043	30 x 1.5, PU	23.6	Blue	38
CS 001047	2 x 2.5, T.C.W.B., PU	14.1	Blue	32
CS 001053	5 x 1.5, 2 T.S.P.s x 0.5, 2 Coax x (75 ohm), G.S.W.B., PU inner, PU outer	18.9	Blue	180
CS 001057	1 T.P. x 1.5, EPR inner, PU outer	14.0	Red	30
CS 001066	2 x 6.0, 2 Fibre Optic Cables (62.5/125, 3 fibres), 1 T.S.P. x 0.22, Kevlar braid (1000 kg), Waterblock, Copper tape, PU	16.1	Black	70,156,150,39,100,
CS 001066	2 x 6.0, 2 Fibre Optic Cables (62.5/125, 3 fibres), 1 T.S.P. x 0.22, Kevlar braid (1000 kg), Waterblock, Copper tape, PU	16.1	Black	26,29,43,30,
CS 001069	*** NOTE TSP HAS LOW I.R. READINGS*** 2 x 6.0, 2 Fibre Optic Cables (62.5/125), 3 Fibres, ST.ST. Tubes, 1 T.S.P. x 0.22, Double G.S.W.A., EPR inner, PU outer	25.5	Black	155,102,127,80,2626,1348 1667)
CS 001072	1 T.S.P. x 6.0, 8 T.S.P.s x 0.5, W/B, Kevlar braid (1000 kg), PU inner, PU outer	24.0	Black	46,

CUSTOMERS, PLEASE NOTE: PRICE EXCLUDES DRUM, DELIVERY, VAT AND CERTIFICATE OF CONFORMITY

<u>Part No</u>	<u>Description</u>	<u>OD (mm)</u>	<u>Colour</u>	<u>Quantity (Mtrs)</u>
CS 001073	Free Issue Cable (6.1 mm dia.), PU	9.1	Black	60
CS 001074	12 x 1.5, T.C.W.B., MDPE	16.3	White	30
CS 001075	4 x 35.0, MDPE	28.8	White	22
CS 001076	6 x 1.5, T.C.W.B., PU	12.7	White	27
CS 001077	3 x 1.5, 3 T.S.B.s (2 x 0.5, Fibre Optic x 62.5/125), Kevlar cord (180 kg), PU	15.4	Blue	34
CS 001079	4 x 4.0, G.S.W.B., PU inner, PU outer	18.3	Orange	42
CS 001081	3 x 1.0, 1 Fibre Optic (9/125), Kevlar cord (180 kg), PU	9.4	Blue	36
CS 001082	4 x 0.22, Kevlar braid (100 kg), PU inner, PU outer	6.5	Blu Yel Ora	69,105,298,
CS 001086	7 T.S.T.s x 0.75, PU	24.8	Black	25
CS 001087	4 CORES x 4.0 + O/A SCREEN	14.0	Black	100,
CS 001088	4 x 10.0, PU	20.0	Black	24,35,100,
CS 001090	3 x 1.5, PU	13.0	Black	38
CS 001091	19 x 1.5, O/A Screen, PU	22.8	Black	50,
CS 001092	5 T.S.P.'s x 1.5, P/U	22.0		
CS 001095	1 x 25.0, PU	12.1	Black	25
CS 001101	7 T.S.P.'S x 0.22, 3 x 1.0, 2 COAX x 75 OHM, ST/ST W.ROPE	15.1	Orange	29,
CS 001105	2 T.S.P.s x 0.22, Kevlar braid (1000 kg), EPR inner, PU outer	16.0	Blue	995,
CS 001105	2 T.S.P.s x 0.22, Kevlar braid (1000 kg), EPR inner, PU outer	16.0	Blue	19
CS 001113	20 T.B.P.s x 0.06, 2 Coax (RG 316), 4 x 1.5, Kevlar braid (2000 kg), PU (Special Cores)	19.6	Black	12,37,
CS 001120	2 T.S.P.s x 0.22, 2 T.S.Q.s x 0.22, 20 x 0.5, Kevlar braid (8.5 Kn), Waterblock, 4 Fibre Optics (50/125), TPR inner, PU outer	17.3	Yellow	443
CS 001126	2 T.S.P.'s x 0.22, KEVLAR BRAID (B.S. 1000 KG), E.P.R. INNER, PU	12.1	Clear	41,

CUSTOMERS, PLEASE NOTE: PRICE EXCLUDES DRUM, DELIVERY, VAT AND CERTIFICATE OF CONFORMITY

<u>Part No</u>	<u>Description</u>	<u>OD (mm)</u>	<u>Colour</u>	<u>Quantity (Mtrs)</u>
CS 001136	24 x 1.5, T.C.W.B., PU	27.5	Blue	24,
CS 001138	3 T.P.s x 1.5, 3 Fibre Optic Bundles (62.5/125), 4 T.S.P.s x 0.14, PU	18.3	Blue	22
CS 001142	17 T.Q.'S x 0.75, G.S.W.B., O/A SCREEN, PU	31.2	Black	19,
CS 001145	1 T.B.P. x 0.5, EPR, PU	7.8	Yellow	205
CS 001147 Iss 1	50 T.P.s x 0.75, G.S.W.B., O/A Screen, PU inner, PU outer	53.4	Blue	19
CS 001149	13 T.Q.s x 1.5, G.S.W.B., PU inner, PU outer	33.5	Blue	16
CS 001152	2 x 1.0, G.S.W.A., PU inner, PVC outer	11.9	Black	50
CS 001156	7 T.S.P.s x 0.5, PU	12.7	Blue	18,
CS 001157	2 T.S.P.s x 1.34, ST.ST.W.B., PU inner, Pu outer	25.2	Black	105
CS 001160	7 T.J.P.s x 0.34, 21 x 0.5, C.W.B., G.S.W.B., W/B, PU inner, PU outer	26.9	Black	723
CS 001162	6 T.B.J.P.s x 1.0, C.W.B., W/B, PU	25.6	Black	997
CS 001165 Iss 1	1 Fibre Optic Bundle (32 Fibres), 1 Fibre Optic (50/125), PU	11.9	Blue	39
CS 001168	4 x 1.5, ST.ST.W.B., W/B, PU inner , PU outer	19.7	Blue	7,
CS 001170	15 T.P.s x 1.0, 5 x 1.0, 5 x 10.0, 1 T.B.P. x 1.0, Kevlar braid (2000 Kg), PU inner, PU outer	39.7	Blue	39
CS 001174	6 x 2.5, G.S.W.B., O/A Screen, PU inner, PU outer	17.7	Blue	35
CS 001175 Iss 1	2 x 1.5, 7 x 6.0, PU	20.0	Blue	31
CS 001176	10 x 0.5, Kevlar cord (1750 Kg), T.C.W.B., PU outer	12.5	Blue	47,64,
CS 001177	4 x 0.22, Kevlar braid (100 Kg), PU	8.5	Yellow	653,
CS 001180 Iss 1	1 T.S.P. x 1.5, 1 T.S.P. x 2.5, G.S.W.B., W/B, PU inner, PU outer	28.1	Orange	10
CS 001184 Iss 1	2 T.S.P.s x 1.34, 16 x 1.34, PU	16.0	Black	14,

CUSTOMERS, PLEASE NOTE: PRICE EXCLUDES DRUM, DELIVERY, VAT AND CERTIFICATE OF CONFORMITY

<u>Part No</u>	<u>Description</u>	<u>OD (mm)</u>	<u>Colour</u>	<u>Quantity (Mtrs)</u>
CS 001185 Iss 1	20 x 1.34, PU	13.7	Black	30
CS 001188 Iss 1	2 x 6.0, 2 T.S.P.s x 1.5, Kevlar braid (1500 Kg), PU inner, PU outer	19.0	Blue	30
CS 001189	4 x 1.5, KEVLAR BRAID (B.S. 500 KG), PU	13.0	Blue	33,
CS 001196	4 x 0.75, G.S.W.A. (3 Tonnes), PU inner, PU outer	19.2	Black	54
CS 001197 Iss 1	7 T.S.P.s x 0.22, 6 x 1.0, T.C.W.B., PU	16.0	Orange	19
CS 001198 Iss 1	3 x 2.5, 3 T.Q.s x 0.22, 2 Coax (75 ohm), Kevlar braid (1000 kg), Waterblock, PU inner, PU outer	19.3	Blue	28,39,
CS 001202	1 x 50.0, G.S.W.B., W/B, PU	18.7	Blue	50
CS 001203	3 T.S.Q.s x 0.5, 3 T.P.s x 1.0, 4 Coax (RG59 75 ohm), 1 Coax [95 ohm), PU	27.6	Blue	109,
CS 001206	6 T.S.P.s x 0.22, 2 x 1.0, T.C.W.B., PU	12.9	Green	28
CS 001211 Iss 2	5 x 1.0, 4 x 0.5, 2 x 4.0, O/A Screen, T.C.W.B., PU	18.5	Green	23,
CS 001213 iss 1	3 x 4.0, T.C.W.B., PU	13.5	Green	50
CS 001220	3 Cores x 2.5, P/U	11.3		
CS 001226 Iss1	1 Core x 42.5, G.S.W.B., PU inner , PU outer	23.2	Red	80
CS 001229	(FLAT CABLE) 3 x 35.0, + INDIVIDUAL T.C.W.B.'s	57.0 x 24.5	Black	14
CS 001235	7 x 1.5, W/B, O/A Screen, G.S.W.B., PU inner , PU outer	18.2	Orange	40,69,109,247,
CS 001241	5 CORES (0.5 SQ MM) + KEVLAR CORD (B.S. 360 KG)	7.5	Blue	47,
CS 001247	4 x 2.5, ST.ST.W.B., PU inner, PU outer	15.0	Black	50
CS 001248	4 x 6.0, O/A Screen, W/B, ST.ST.W.B., PU inner , PU outer	25.7	Black	13
CS 001249	8 x 1.34, 5 T.S.P.s x 0.75, 5 x 2.5, 1 Coax (75 ohm), G.S.W.B., PU inner , PU outer	25.0	Blue	29

CUSTOMERS, PLEASE NOTE: PRICE EXCLUDES DRUM, DELIVERY, VAT AND CERTIFICATE OF CONFORMITY

<u>Part No</u>	<u>Description</u>	<u>OD (mm)</u>	<u>Colour</u>	<u>Quantity (Mtrs)</u>
CS 001250	3 x 2.5, 2 x T.S.P.'S x 0.5, ONE F/O CABLE (4 FIBRES x 9/125), PU	18.1	Blue	28,
CS 001255	9 T.S.P.'s (0.34 SQ MM) + GALVANISED STEEL WIRE ROPE (B.S. 1300 KGF)	16.7	Black	426
CS 001262	4 x 1.0, T.C.W.B., PU	11.5	Black	73,
CS 001266	2 x 1.5, Kevlar Braid (500 Kg), PU	10.6	Blue	38
CS 001267	6 x 1.0, 2 Coax (75 ohm), 1 T.S.P. x 1.0, PU	17.9	Blue	23,
CS 001269	2 x 1.5, 2 Fibre Optic (8/125), Kevlar Cord (180 Kg), PU	8.9	Blue	100,
CS 001273	6 T.S.P.s x 0.5, 4 T.S.Q.s x 0.5, PU	27.5	Blue	60,
CS 001274	8 T.S.P.s x 0.5, T.C.W.B., PU	17.5	Blue	42
CS 001279	1 T.S.P. x 10.0, G.S.W.B., W/B, PU inner, PU outer	19.2	Orange	29
CS 001286	3 x 42.5, ST/ST WIRE BRAID, PU	45.4	Red	12
CS 001287	3 T.S.P.s x 1.0, Kevlar Braid (500 kg), PU	14.7	Black	33,42,37,41,
CS 001288	6 T.P.'S x 0.75, O/A SCREEN	13.9	Blue	18,
CS 001289	1 Coax (50 ohm), Kevlar Braid (1 Tonne), PU inner, PU outer	9.30	Black	41
CS 001290	4 T.P.s x 1.5, T.C.W.B., G.S.W.B., PU inner, PU outer	21.0	Yellow	44,54,25,250,
CS 001292	8 T.S.P.s x 0.75, T.C.W.B., PU	18.0	Blue	58,
CS 001294	10 x 0.34, 10 x 0.22, 8 x 2.5, 1 Coax (75 ohm), T.C.W.B., Kevlar Cord (1050 KG), PU	20.1	Black	25,
CS 001295	2 T.S.P.s x 0.22, PU	7.0	Blue	50,
CS 001296	4 Simplex Fibre Optic Cables x 9/125, E.P.R Bed, P/U	11.2		
CS 001297	12 x 1.0, E.P.R. inner, PU outer	16.1	Blue	8
CS 001315	2 T.P.'s x 4.0, 2 T.S.J.P.'s x 1.34, 1 F/O ST/ST TUBE x 62.5/125, CONTRA HELICAL GALVANISED STEEL WIRE	37.8	Black	50,

CUSTOMERS, PLEASE NOTE: PRICE EXCLUDES DRUM, DELIVERY, VAT AND CERTIFICATE OF CONFORMITY

<u>Part No</u>	<u>Description</u>	<u>OD (mm)</u>	<u>Colour</u>	<u>Quantity (Mtrs)</u>
	ARMOUR			
CS 001319	2 x 6.0, 2 Multimode fibre optic cables (3 fibres each), 1 T.T. x 0.5, G.S.W.B., Kevlar Cord (1300 kg), PU inner, PU outer	19.8	Black	35,
CS 001320	3 x 4.0, PU	13.1	Blue	40,55,55,71,
CS 001324 issue 3	2 T.S.P.s x 1.0, 1 Coax (75 ohm), GSWB, 3 x 1.0, PU	21.6	Black	465,
CS 001326 issue 1	2 x 16.0, 2 x 4.0, GSWB, PU	25.5	Blue	27,
CS 001328	4 x 1.5, 19 x 0.34, KEVLAR BRAID (B.S. 1000 KG), WATERBLOCK	15.4	Green	137,85, (2 lengths on the same drum)
CS 001334	2 x 1.0 (ALUMINIUM) + ONE T.P. x 0.22, ONE COAXIAL (75 OHM) + KEVLAR CORD (B.S. 180 KG)	12.5	Blue	220
CS 001337	8 T.S.P.'S x 1.0, 6 T.P.'S x 1.5, 6 T.P.'S x 2.5, ST/ST.W.B.	45.1	Blue	19,
CS 001338 issue 1	8 x 1.5, PU	18.5	Black	15,
CS 001341	37 x 1.5, PU	25.3	Blue	30,
CS 001344	2 T.P.'S x 1.0, 2 x 1.5, 2 x 1.0, O/A SCREENS	15.5	Blue	18,18,
CS 001348	5 x 0.75, 3 x 1.0, 1 T.S.P. x 0.75, 1 T.P. x 0.75, O/S.	15.2	Blue	8,44,124,136,
CS 001353	3 T.S.P.'S x 0.5, KEVLAR BRAID (B.S. 1000 KG)	10.6	Blue	38,
CS 001357	2 x 0.75, P/U	6.6	Yellow	90,120,230,285,
CS 001362	4 x 4.0, 4 x 0.5, 8 x 1.0, O/A SCREEN, T.C.W.B., PU	18.6	Green	30,
CS 001363	1 T.S.P. X 2.5, PU (R.T. 3.05 MM)	13.3	Black	24,25,
CS 001364	1 T.S.P. X 2.5, PU (R.T. 3.65 MM)	14.5	Black	44,302,293,
CS 001376	5 T.S.P.'S x 0.14, 2 x 0.75, P/U	9.4	Yellow	35,
CS 001387	4 T.S.P.'S x 1.0, T.C.W.B., KEVLAR BRAID (B.S. 500 KG), WATERBLOCK FILLERS	21.1	Black	84,66,62,34,40,

CUSTOMERS, PLEASE NOTE: PRICE EXCLUDES DRUM, DELIVERY, VAT AND CERTIFICATE OF CONFORMITY

<u>Part No</u>	<u>Description</u>	<u>OD (mm)</u>	<u>Colour</u>	<u>Quantity (Mtrs)</u>
CS 001390	6 Cores x 0.22, 3 Cores x 1.0, 2 T.S.P.'s x 0.22, 1 Losse Tube Fibre Optic (8 Fibres 50/125, 4 Fibres 9/125), Kevlar Braid (B.S. 1800 KG), P/U	18.3		
CS 001395	3 T.S.Q.'s x 0.22, 3 x 0.22, 2 Coax (RG 58, 50 ohm) 1 Coax (RG 174, 50 ohm) + Tinned Copper Wire Braid	16.0	Orange	28
CS 001403	18 x 1.0, P/U	15.7	Black	19,
CS 001410	2 Coax (75 ohm) T.C.W.B., P/U	7.5	Black	50,119,
CS 001416	One fibre optic cable (24 off, 9/125) + SSWB, P/U	12.3	Black	105
CS 001420	3 Coax (50ohm) 3 x 0.34, + KEVLAR BRAID (B.S. 700 KG) + O/A Screen	10.5	Yellow	42,
CS 001427	9 T.S.P.'s x 0.5, 2 Coaxials (75 ohm), Belden Cable (2 T.S.P.'s + T.C.W.B. SCREEN)	22.7	Red	16,
CS 001429	7 T.S.P.'s x 0.5, PU	12.7	Blue	21,
CS 001441	8 CORES x 1.34, 1 T.S.P. x 0.5, 4 FIBRES (9/125), W/B COMPOUND, KEVLAR BRAID (B.S. 100 KG), P/U	17.4	Black	15,
CS 001444	12 CORES x 1.5, P/U	13.0	Black	14,
CS 001451	6 Cores x 1.0, Contra Helical Galvanised Steel Wire Armour (B.S. 5000 KG), P/U	18.8		
Global Cable	19 T.B.J.P.s x 0.34, T.C.W.B, PE	20.0	Black	50 mtrs (Approx)
Global Cable	2 cores, PE Inner, TCWB, PE (NES 525 / 526)	8.0	Black	Various lengths 20m upto 60m Lengths

Signed

Production Engineer

Date

CUSTOMERS, PLEASE NOTE: PRICE EXCLUDES DRUM, DELIVERY, VAT AND CERTIFICATE OF CONFORMITY